CHATHAM COUNTY PURCHASING DEPARTMENT

ADDENDUM NO. 2 TO Bid No. 12-0005-7

FOR: Annual Contract for Specialized Water & Sewer Sampling and Analysis for Chatham **County Public Works**

PLEASE SEE THE FOLLOWING ADDITIONS, CLARIFICATIONS AND/OR CHANGES:

- 1. **QUESTION:** Item 8 on the Bid Sheet - Is this supposed to be nitrate-nitrite? **RESPONSE:** No, bid sheet is correct. Scope of Service for Pine Barren Waste Treatment Plant - 2. Quarterly should read Effluent-Nitrate Nitrogen.
- 2. QUESTION: Item 1 on the Bid Sheet - Can you specify what is requested for the microbiological - is this just fecal coliform or is more needed? **RESPONSE:** Fecal coliform bacteria only.
- 3. QUESTION: Under the monthly samples for the Pine Barren Waste Treatment Plant, monthly pH samples are listed for both the influent and effluent (total of 2 samples per month). The bid sheet only lists one monthly pH sample (Item 4) - which is correct, or am I missing something?

RESPONSE: Under the monthly samples for the Pine Barren Waste Treatment Plant is one monthly ph sample and it is for the effluent only.

4. **QUESTION:** The water system sampling requests monthly microbiological sampling for what appears to be 21 (assuming items J-N) require one sample. The bid sheet lists 22 monthly samples (Item1). Is one of these a duplicate or should there be an additional sample listed under the scope of work?

RESPONSE: The scope of work is correct and the Bid Sheet has been revised to reflect 21 samples monthly.

CHANGE: Please replace the bid sheet with the revised bid sheet. Use revised bid sheet when submitting a bid.

ADDITION: ATTACHED ARE SITE MAPS AND REQUIREMENTS FROM EPD FOR PINE BARREN AS SHOWN ON BID SHEET.

THE BID OPENING SHALL REMAIN 2PM MARCH 1, 2012.

THE BIDDER IS RESPONSIBLE FOR MAKING THE NECESSARY CHANGES AND MUST ACKNOWLEDGE RECEIPT OF ADDENDUM.

2-27-12

DATE

MARGARET H. JOYNER

PURCHASING AGENT

CHATHAM COUNTY

Muchukt


REVISED **CHATHAM COUNTY, GEORGIA**


BID SHEET


BID NO. 12-0005-7


| | Well Sites: | (01) | 4. | |
|-----|--------------------------------|-----------------------------------|---|--------------------|
| 1 | | | x 12 events = | Total Annual Cost |
| 2 | | | s will be paid at postages rates. | m + 1 + 1 + 1 + 1 |
| 2 | Fluoride Samples: | (8) samples monthly | x 12 events = | Total Annual Cost |
| | Pine Barren WWTP: | | | |
| | Monthly: | | | |
| 3 | BOD/TSS: | (2) samples monthly | x 12 events = | Total Annual Cost |
| 4 | ph: | (1) samples monthly | x 12 events = | Total Annual Cost |
| 5 | Depth to Ground Water: | (4) samples monthly | x 12 events = | Total Annual Cost |
| | Ouarterly: (March, Jun | ne, September & December) | | |
| 6 | ph: | _ | x 4 events = | Total Annual Cost |
| 7 | Electrical Conductivity: | | x 4 events = | |
| 8 | | | x 4 events = | |
| 9 | | | x 4 events = | |
| 10 | | | x 4 events = | |
| 11 | | | x 4 events = | |
| | D: Annual Complex. (I | inne) and December | | |
| 12 | Bi-Annual Samples: (J | | x 2 event = | Total Annual Cost |
| . 2 | recar comorni Bacteria. | (1) samples of amoun | A 2 Orono | |
| | Annual Samples (Decer | nber): | | |
| | Soil Fertility Test to include | | | |
| 13 | Soil ph | | x 1 event = | |
| | (Phosphorus, Potassi | um, Calcium, Magnesium, Zi | nc & Manganese) | |
| 14 | • | (1) samples | $\underline{}$ x 1 event = $\underline{}$ | Total Annual Cost |
| | Note: The following sa | mples will be taken only if ph ca | hanges by 1 unit. | |
| | | 71\ 1 | r 1 arrant - | Total Annual Cost |
| 15 | Cation Exchange Capacity | (1) samples | x 1 event = | Total Alliual Cost |


Bid includes all labor, insurance, overhead, profit, travel time and mileage.














Page 5 of 18 Permit No. GA02-285

B.1. PREAPPLICATION TREATMENT PLANT MONITORING

Treatment Pond System

The weekly average flow of effluent from the wastewater treatment pond to the storage pond must not exceed 0.075 MGD. For monitoring purposes, influent shall refer to the influent to the treatment pond and effluent shall refer to the discharge from the storage pond to the sprayfields.

| | Discharge Limitation Monthly | Monitoring Requirements | |
|---|------------------------------|-------------------------|--------------------------|
| Parameters | Average, mg/L unless | Measurement | Sample |
| 대 | otherwise specified | Frequency | Location |
| Flow (MGD) | 0.060 | Seven Days/Week | Influent and Effluent |
| Biochemical Oxygen Demand (5-Day) | 50 | One Day/Month | Influent and Effluent |
| Total Suspended Solids | 90 | One Day/Month | Influent and Effluent |
| pH, standard units (minimum – maximum) | Report | One Day/Month | Effluent |
| Nitrațe-Nitrogen | Report | One Day/Quarter | Effluent |

Continuous recording measurements are required for effluent flow monitoring. If influent flow monitoring is required, instantaneous flow measurements are acceptable.

Page 7 of 18 Permit No. GA02-285

B.3. GROUNDWATER MONITORING REQUIREMENTS

Groundwater leaving the land application system boundaries must not exceed maximum contaminant levels for drinking water. The groundwater shall be monitored from each groundwater monitoring well by the permittee for the parameters and at the frequency listed below:

| Parameter | Measurement Frequency | |
|-------------------------|-----------------------|--|
| Depth to Groundwater | One Day/Month | |
| pH, standard units | One Day/Quarter | |
| Electrical Conductivity | One Day/Quarter | |
| Nitrate-Nitrogen | One Day/Quarter | |
| Fecal Coliform Bacteria | One Day/Six Months | |

Where there are categorical and/or significant industrial discharges to the sewer system, the permittee may be required to sample for additional parameters. These parameters may include heavy metals and organic compounds.

Page 8 of 18 Permit No. GA02-285

B.4. SURFACE WATER MONITORING

The water quality of any surface water adjacent to or traversing the land application site shall be monitored. Grab samples collected upstream and downstream of the sprayfield area shall be monitored for the parameters and at the frequency listed below:

| Parameter | Measurement Frequency |
|-----------------------------------|-----------------------|
| Bicchemical Oxygen Demand (5-Day) | One Day/Quarter |
| Suspended Solids | One Day/Quarter |
| Dissolved Oxygen | One Day/Quarter |
| pH, standard units | One Day/Quarter |
| Fecal Coliform Bacteria | One Day/Quarter |
| Nitrate-Nitrogen | One Day/Quarter |

Page 6 of 18 Permit No. GA02-285

B.2. SOIL MONITORING REQUIREMENTS

Representative samples shall be collected from each major soil series present within the spray field area. The samples shall be analyzed in accordance with the latest edition of Methods of Soil Analysis (published by the American Society of Agronomy, Madison, Wisconsin) or other methods approved by the Division. The soil samples shall be analyzed for the parameters and at the frequency listed below:

| Parameter | Measurement Frequency | |
|--------------------------|---------------------------|--|
| pH, standard units | One Day/Year | |
| Cation Exchange Capacity | If pH changes by one unit | |
| Percent Base Saturation | If pH changes by one unit | |
| Soil Fertility Test* | One Day/Year | |

This testing is to be done in December of each year. The soil fertility testing is to include soil pH and phosphorus, potassium, calcium, magnesium, zinc, and manganese using the Mehlich I extraction procedure.

Where there are categorical and/or significant industrial discharges to the sewer system, the permittee may be required, upon written notification by the Division, to sample for additional parameters. These parameters may include heavy metals and organic compounds.