INVITATION TO BID

BID NO. 17-0089-6

PURCHASE OF NEW KNUCKLE BOOM LOADER W/ DUMP BODY

PRE BID CONFERENCE: 10:00AM OCTOBER 10, 2017

BID OPENING: 2:00PM, OCTOBER 24, 2017

THE COMMISSIONERS OF CHATHAM COUNTY, GEORGIA

ALBERT J. SCOTT, CHAIRMAN

COMMISSIONER HELEN J. STONE	COMMISSIONER JAMES J. HOLMES
COMMISSIONER BOBBY LOCKETT	COMMISSIONER PATRICK K. FARRELL
COMMISSIONER TABITHA ODELL	COMMISSIONER JAMES JAY JONES
COMMISSIONER DEAN KICKLIGHTER	COMMISSIONER CHESTER A. ELLIS

R. JONATHAN HART, COUNTY ATTORNEY

CHATHAM COUNTY, GEORGIA

DOCUMENT CHECK LIST

The following documents, when marked, are contained in and made a part of this Bid Package or are required to be submitted with the bid. It is the responsibility of the bidder to read, complete and sign, where indicated, and return these documents with his/her bid. **FAILURE TO DO SO MAY BE CAUSE FOR DISQUALIFYING THE BID.**

X GENERAL INFORMATION AND INSTRUCTIONS TO BID WITH ATTACHMENTS
SURETY REQUIREMENTS (a Bid Bond of 5% with this ITB)
X PROPOSAL
PLANS/DRAWINGS
X BID SCHEDULE
PERFORMANCE BOND
PAYMENT BOND
CONTRACT
X LEGAL NOTICE
X_ATTACHMENTS: A. DRUG FREE WORKPLACE; B. NONDISCRIMINATION STATEMENT; C. DISCLOSURE OF RESPONSIBILITY STATEMENT; D. CONTRACTOR & SUBCONTRACTOR AFFIDAVIT AND AGREEMENT E. BIDDE'-S CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION; F. M/WBE COMPLIANCE REPORT; G. SAVE AFFIDAVIT.
$\underline{\underline{X}}$ DOCUMENTATION OF ABILITY TO PERFORM BID REQUIREMENTS. THIS MAY BE REQUIRED OF BIDDERS AFTER SUBMISSION OF BIDS.
<u>COUNTY TAX CERTIFICATE REOUIREMENT</u> - Contractor must supply a copy of their Tax Certificate from their location in the State of Georgia, as proof of payment of the occupational tax where their office is located.
CURRENT TAX CERTIFICATE NUMBER CITY
COUNTY
OTHER

The Chatham County Board of Commissioners have established goals to increase participation of minority and woman owned businesses. In order to accurately document participation, businesses submitting bids or proposals are encouraged to report ownership status. A minority or woman owned business is defined as a business with at least 51% ownership by one or more minority/female individuals and whose daily business operations are managed and directed by one (1) or more of the minority/female owners. Please check ownership status as applicable:

African-American	Asian American_		Hispanic
Native American or Alaskan In	dian	Woman	
In the award of a Competitive S of several evaluation criteria use for Proposal.			
RECEIPT IS HEREBY ACKNO	WLEDGED OF AD	DENDA NUN	MBER(S)
The undersigned bidder certifies to and acknowledges that his/her fail cause for disqualifying his/her bid	lure to return each,		
BY:			
DATE			
SIGNATURE			
TITLE:			

COMPANY:____

CHATHAM COUNTY, GEORGIA OFFICE OF THE PURCHASING DIRECTOR 1117 EISENHOWER DRIVE, SUITE C SAVANNAH, GEORGIA 31406 (912) 790-1621

Date: SEPT 18, 2017 BID NO. 17-0089-6

GENERAL INFORMATION FOR INVITATION FOR BID

This is an invitation to submit a bid to supply Chatham County with construction, equipment, supplies and/or services as indicated herein. Sealed bids will be received at the Office of the Purchasing Director, at <u>The Chatham County Citizens Service Center, 1117 Eisenhower</u> <u>Drive, Suite C. Savannah, Georgia 31406 up to 2:00PM, OCTOBER 24, 2017, at which time they will be opened and publicly read. The County reserves the right to reject <u>all</u> bids that are non-responsive or not responsible.</u>

Instructions for preparation and submission of a bid are contained in this Invitation For Bid package. Please note that specific forms for submission of a bid are required. Bids must be typed or printed in ink.

Any changes to the conditions and specifications must be in the form of a written addendum to be valid; therefore, the Purchasing Director will issue a written addendum to document each approved change. Generally when addenda are required, the bid opening date will be changed.

Chatham County has an equal opportunity purchasing policy. Chatham County seeks to ensure that all segments of the business community have access to supplying the goods and services needed by County programs. The County affirmatively works to encourage utilization of disadvantaged and minority business enterprises in our procurement activities. The County provides equal opportunity for all businesses and does not discriminate against any persons or businesses regardless of race, color, religion, age, sex, national origin or handicap. The terms "disadvantaged business," "minority business enterprise," and "minority person" are more specifically defined and explained in the Chatham County Purchasing Ordinance.

All firms requesting to do business with Chatham County must register on-line at http://purchasing.chathamcounty.org. The County's Purchasing Division is interested in fostering participation by all qualified business persons offering commodities and services. For additional information please contact Purchasing and Contracting at 912-790-1620.

SECTION I INSTRUCTIONS TO BIDDERS

1.1 <u>PURPOSE:</u> The purpose of this document is to provide general and specific information for use in submitting a bid or proposal to supply Chatham County with equipment, supplies, and/or services as described herein. All bids/proposals are governed by the <u>Code of Chatham County</u>, Chapter 4, Article IV, and the laws of the State of Georgia.

1.2 HOW TO PREPARE BID PROPOSALS: All bid proposals shall be:

- A. Prepared on the forms enclosed herewith, unless otherwise prescribed, and all documents must be completed and submitted or your proposal may be declared non-responsive and rejected.
- B. Typewritten or completed with pen and black or blue ink, signed by the business owner or authorized representative, with all erasures or corrections initialed and dated by the official signing the proposal. **ALL SIGNATURE SPACES MUST BE SIGNED.**

Bidders are encouraged to review carefully all provisions and attachments of this document prior to submission. Each bid constitutes an offer and may not be withdrawn except as provided herein.

1.3 HOW TO SUBMIT BID PROPOSALS: All bid proposals shall be:

- A. One (1) original and one (1) <u>duplicate</u> copy must be submitted in a sealed opaque envelope, plainly marked with the bid number and title, date and time of bid opening, and company name.
- B. Mailed or delivered as follows in sufficient time to ensure receipt by the Purchasing Director on or before the time and date specified above to:

Chatham County Purchasing & Contracting Attn. Purchasing Director 1117 Eisenhower Drive Suite C Savannah, Georgia, 31406.

BIDS NOT RECEIVED BY THE TIME AND DATE SPECIFIED WILL NOT BE OPENED OR CONSIDERED.

- **1.4 HOW TO SUBMIT AN OBJECTION:** Objections from bidders to this invitation to bid and/or these specifications should be brought to the attention of the County Purchasing Director in the following manner:
 - A. When a pre-bid conference is scheduled, bidders shall either present their oral objections at that time or submit their written objections at least two (2) days prior to the scheduled pre-bid conference.

- B. When a pre-bid conference is not scheduled, the bidder shall submit any objections he may have in writing not less than five (5) days prior to the opening of the bid.
- C. The objections contemplated may pertain to form and/or substance of the invitation to bid documents. Failure to object in accordance with the above procedure will constitute a waiver on the part of the business to protest this invitation to bid.
- **ERRORS IN BIDS:** Bidders or their authorized representatives are expected to fully inform themselves as to the conditions, requirements, and specifications before submitting bids. Failure to do so will be at the bidder's own risk. In case of error in extension of prices in the bid, the unit price will govern.
- 1.6 STANDARDS FOR ACCEPTANCE OF BID FOR CONTRACT AWARD: The County reserves the right to reject any or all bids and to waive any irregularities or technicalities in bids received whenever such rejection or waiver is in the best interest of the County. The County reserves the right to reject the bid of a bidder who has previously failed to perform properly or complete on time contracts of a similar nature, or a bid from a bidder whom investigation shows is not in a position to perform the contract.
- **BID TABULATION:** Tabulations for all bids will be posted for thirty (30) days after the bid opening in the Office of Purchasing and Contracting, 1117 Eisenhower Drive Suite C, Savannah, Georgia 31406 or can be reviewed on the Purchasing web site 24/48 hours after opening at http://purchasing.chathamcounty.org
- **BIDDER:** Whenever the term "bidder" is used it shall encompass the "person," "business," "contractor," "supplier," "vendor," or other party submitting a bid or proposal to Chatham County in such capacity before a contract has been entered into between such party and the County.
- **RESPONSIBLE / RESPONSIVE BIDDER:** Responsible Bidder means a person or entity that has the capability in all respects to perform fully and reliably the contract requirements. Responsive Bidder means a person or entity that has submitted a bid or proposal that conforms in all material respects to the requirements set forth in the invitation for bids or request for proposals.
- 1.10 COMPLIANCE WITH LAWS: The bidder and/or contractor shall obtain and maintain all licenses, permits, liability insurance, workman's compensation insurance and comply with any and all other standards or regulations required by federal, state or County stature, ordinances and rules during the performance of any contract between the contractor and the County. Any such requirement specifically set forth in any contract document between the contractor and the County shall be supplementary to this section and not in substitution thereof.
- 1.11 CONTRACTOR: Contractor or subcontractor means any person or business having a contract with Chatham County. The Contractor/Vendor of goods, material, equipment or services certifies that they will follow equal employment opportunity practices in connection with the awarded contract as more fully specified in the contract documents. Any subcontracting must be specified in the bid/proposal. All subcontractors must be approved by the County!

- **LOCAL PREFERENCE:** O On 27 March 1998, the Board of Commissioners adopted a Local Vendor Preference Ordinance. The local preference policy was amended in January 2016, under the new Purchasing Ordinance. This Ordinance does not apply to construction contracts. However, contractors are encouraged to apply the same method when awarding bids to local and local M/WBE businesses whenever possible in order to promote growth in Chatham County-s economy. **NOTE:** *Local Preference does not apply to Public Works Construction contracts.*
- 1.13 <u>DEBARRED FIRMS AND PENDING LITIGATION</u>: Any potential proposer/firm listed on the Federal or State of Georgia Excluded Parties Listing (Barred from doing business) will not be considered for contract award. Proposers shall disclose any record of pending criminal violations (Indictment) and/or convictions, pending lawsuits, etc., and any actions that may be a conflict of interest occurring within the past five (5) years. Any proposer/firm previously defaulting or terminating a contract with the County will not be considered.
 - ** All bidders or proposers are to read and complete the Disclosure of Responsibility Statement enclosed as an Attachment to be returned with response. Failure to do so may result in your solicitation response being rejected as non-responsive.

Bidder acknowledges that in performing contract work for the Board, bidder shall not utilize any firms that have been a party to any of the above actions. If bidder has engaged any firm to work on this contract or project that is later debarred, Bidder shall sever its relationship with that firm with respect to the Board contract.

- **PAYMENT OF TAXES:** No contract shall be awarded unless all real and personal property taxes have been paid by the successful contractor and/or subcontractors as adopted by the Board of Commissioners on 8 April 1994.
- 1.15 <u>IMMIGRATION:</u> On 1 July 2008, the Georgia Security and Immigration Compliance Act (SB 529, Section 2) became effective. Contractors and subcontractors entering into a contract or performing work must sign an affidavit that he/she has used the E-Verify System. <u>E- Verify is a no-cost federal employment verification system to insure employment eligibility.</u> Affidavits are enclosed in this solicitation. You may download M-274 Handbook for Employers at. You may go to http://www.uscis.gov. to find the E-Verify information.
- 1.16 PROTECTION OF RESIDENT WORKERS: Chatham County Board of Commissioners actively supports the Immigration and Nationality Act (IN) which includes provisions addressing employment eligibility, employment verification, and nondiscrimination. Under the IN, employers may hire only persons who may legally work in the United States (i.e., citizens and nationals of the U.S.) and aliens authorized to work in the U.S. The employer must verify the identity and employment eligibility of anyone

to be hired, which includes completing the Employment Eligibility Verification Form (I-9). The Contractor shall establish appropriate procedures and controls so no services or products under the Contract Documents will be performed or manufactured by any worker who is not legally eligible to perform such services or employment.

1.17 SURCHARGE: Unless otherwise stated in this bid, all prices quoted by the contractor/vendor must be F.O.B. Chatham County, Savannah, GA. with all delivery handling, surcharges, and other charges included in the bid price. Failure to do so may cause rejection of the bid. The County will not pay additional surcharges.

SECTION II GENERAL TERMS, CONDITIONS AND EXCEPTIONS

- 2.1 SPECIFICATIONS: Any obvious error or omission in specifications shall not inure to the benefit of the bidder but shall put the bidder on notice to inquire of or identify the same from the County. Whenever herein mentioned is made of any article, material or workmanship to be in accordance with laws, ordinances, building codes, underwriter's codes, ASTM regulations or similar expressions, the requirements of these laws, ordinances, etc., shall be construed to be the minimum requirements of these specifications.
- **MULTIPLE BIDS:** No vendor will be allowed to submit more than one (1) bid. Any alternate proposals must be brought to the Purchasing Director's attention during the Pre-bid Conference or submitted in writing at least five (5) days preceding the bid opening date.
- **2.3 PRICES TO BE FIRM:** Bidder warrants that bid prices, terms and conditions quoted in his bid will be firm for acceptance for a period of sixty (60) days from bid opening date, unless otherwise stated in the bid.
- **2.4 COMPLETENESS:** All information required by Invitation for Bids/Proposals must be completed and submitted to constitute a proper bid or proposal.
- **QUALITY:** All materials, or supplies used for the construction necessary to comply with this proposal shall be of the best quality, and of the highest standard of workmanship. Workmanship employed in any construction, repair, or installation required by this proposal shall be of the highest quality and meet recognized standards within the respective trades, crafts and of the skills employed.
- 2.6 GUARANTEE: Unless otherwise specified by the County, the bidder shall unconditionally guarantee the materials and workmanship on all material and/or services. If, within the guarantee period, any defects occur which are due to faulty material and or services, the contractor at his expense, shall repair or adjust the condition, or replace the

material and/or services to the complete satisfaction of the County. These repairs, replacements or adjustments shall be made only at such time as will be designated by the County as being least detrimental to the operation of County business.

- 2.7 <u>LIABILITY PROVISIONS</u>: Where bidders are required to enter or go onto Chatham County property to take measurements or gather other information in order to prepare the bid or proposal as requested by the County, the bidder shall be liable for any injury, damage or loss occasioned by negligence of the bidder, his agent, or any person the bidder has designated to prepare the bid and shall indemnify and hold harmless Chatham County from any liability arising therefrom. The contract document specifies the liability provisions required of the successful bidder in order to be awarded a contract with Chatham County.
- 2.8 <u>CANCELLATION OF CONTRACT</u>: The contract may be canceled or suspended by Chatham County in whole or in part by written notice of default to the Contractor upon non- performance or violation of contract terms. An award may be made to the next low bidder, for articles and/or services specified or they may be purchased on the open market and the defaulting Contractor (or his surety) shall be liable to Chatham County for costs to the County in excess of the defaulted contract prices. See the contract documents for complete requirements.
- **2.9 PATENT INDEMNITY:** Except as otherwise provided, the successful bidder agrees to indemnify Chatham County and its officers, agents and employees against liability, including costs and expenses for infringement upon any letters patent of the United States arising out of the performance of this Contract or out of the use or disposal for the account of the County of supplies furnished or construction work performed hereunder.
- **2.10** CERTIFICATION OF INDEPENDENT PRICE DETERMINATION: By submission of this bid, the bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, that in connection with this procurement:
 - (1) The prices in this bid have been arrived at independently, without consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
 - (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly to any other bidder or to any competitor; and
 - (3) No attempt has been made or will be made by the bidder to induce any other person or firm to submit or not submit a bid for the purpose or restricting competition.

- **2.11 AWARD OF CONTRACT:** The contract, if awarded, will be awarded to that responsible bidder whose bid/proposal will be most advantageous to Chatham County, price and other factors considered. The Board of Commissioners will make the determination as to which bid or proposal that serves as the best value to Chatham County.
- **2.12 PROCUREMENT PROTESTS:** Objections and protests to any portion of the procurement process or actions of the County staff may be filed with the Purchasing Director for review and resolution. The <u>Chatham County Purchasing Ordinance Part 9 Vendor Disputes</u> shall govern the review and resolution of all protests.
- A responsible bidder or proposer is defined as one who meets, or by the date of the bid acceptance can meet, certifications, all requirements for licensing, insurance, and registrations, or other documentation required by the Design Professional engaged to develop Scope of Work, specifications and plans. These documents will be listed in the Special Conditions further on in this solicitation. Chatham County has the right to require any or all bidders to submit documentation of the ability to perform, provide, or carry out the service or provide the product requested.

Chatham County has the right to disqualify the bid or proposal of any bidder or proposer as being unresponsive or unresponsible whenever such bidder/proposer cannot document the ability to deliver the requested product.

2.14 CHATHAM COUNTY TAX CERTIFICATE REQUIREMENT: A current Chatham County Tax Certificate is required unless otherwise specified. Please contact the Building Safety and Regulatory Services at (912) 201-4300 for additional information.

NOTE: No contract shall be awarded unless all real and personal property taxes have been paid by the successful contractor and/or subcontractors as adopted by the Board of Commissioners on 8 April 1994.

- 2.15 INSURANCE PROVISIONS, GENERAL: The selected contractor shall be required to procure and maintain for the duration of the contract insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work hereunder by the Contractor, his agents, representatives, employees or subcontractors. The cost of such insurance shall be included in the Bid. It is every contractor-s responsibility to provide the County Purchasing and Contracting Division current and up-to-date Certificates of Insurance for multiple year contracts before the end of each term. Failure to do so may be cause for termination of contract.
 - **2.15.1** General Information that shall appear on a Certificate of Insurance:
 - Name of the Producer (Contractor's insurance Broker/Agent). Companies

- affording coverage (there may be several).
- Name and Address of the Insured (this should be the Company or Parent of the firm Chatham County is contracting with).
- A Summary of all current insurance for the insured (includes effective dates of coverage).
- A brief description of the operations to be performed, the specific job to be performed, or contract number.
- Certificate Holder (This is to always include Chatham County).

Chatham County as an Additional Insured: Chatham County invokes the defense of sovereign immunity. In order not to jeopardize the use of this defense, the County **is not** to be included as an Additional Insured on insurance contracts.

2.15.2 Minimum **Limits of Insurance** to be maintained for the duration of the contract:

- a. **Commercial General Liability:** Provides protection against bodily injury and property damage claims arising from operations of a Contractor or Tenant. This policy coverage includes: premises and operations, use of independent contractors, products/completed operations, personal injury, contractual, broad form property damage, and underground, explosion and collapse hazards. Minimum limits: \$1,000,000 bodily injury and property damage per occurrence and annual aggregate.
- b. **Worker's Compensation and Employer-s Liability:** Provides statutory protection against bodily injury, sickness or disease sustained by employees of the Contractor while performing within the scope of their duties. Employer-s Liability coverage is usually included in Worker-s Compensation policies, and insures common law claims of injured employees made in lieu of or in addition to a Worker-s Compensation claim. Minimum limits: \$500,000 for each accident, disease policy limit, disease each employee and Statutory Worker-s Compensation limit.
- c. **Business Automobile Liability:** Coverage insures against liability claims arising out of the Contractor's use of automobiles. Minimum limit: \$1,000,000 combined single limit per accident for bodily injury and property damage. Coverage should be written on an Any Auto basis.

2.15.3 Special Requirements:

a. Claims-Made Coverage: The limits of liability shall remain the same as the occurrence basis, however, the Retroactive date shall be prior to the coincident with the date of any contract, and the Certificate of Insurance shall state the coverage is claims-made. The Retroactive date shall also be specifically stated on the Certificate of Insurance.

- b. **Extended Reporting Periods**: The Contractor shall provide the County with a notice of the election to initiate any Supplemental Extended Reporting Period and the reason(s) for invoking this option.
- c. **Reporting Provisions:** Any failure to comply with reporting provisions of the policies shall not affect coverage provided in relation to this request.
- d. **Cancellation:** Each insurance policy that applies to this request shall be endorsed to state that it shall not be suspended, voided, or canceled, except after thirty (30) days prior to written notice by certified mail, return receipt requested, has been given to the County.
- e. **Proof of Insurance:** Chatham County shall be furnished with certificates of insurance and with original endorsements affecting coverage required by this request. The certificates and endorsements are to be signed by a person authorized by the insurer to bind coverage on its behalf. All certificates of insurance are to be submitted prior to, and approved by, the County before services are rendered. The Contractor must ensure Certificate of Insurance is updated for the entire term of the Contract.
- f. **Insurer Acceptability:** Insurance is to be placed with an insurer having an A.M. Best-s rating of A and a five (5) year average financial rating of not less than V. If an insurer does not qualify for averaging on a five year basis, the current total Best-s rating will be used to evaluate insurer acceptability.
- g. **Lapse in Coverage:** A lapse in coverage shall constitute grounds for contract termination by the Chatham County Board of Commissioners.
- h. **Deductibles and Self-Insured Retention**: Any deductibles or self-insured retention must be declared to, and approved by, the County. At the option of the County, either: the insurer shall reduce or eliminate such deductibles or self-insured retention as related to the County, its officials, officers, employees, and volunteers; or the Contractor shall procure a bond guaranteeing payment of related suits, losses, claims, and related
 - investigation, claim administration and defense expenses.
- 2.16 <u>COMPLIANCE WITH SPECIFICATION TERMS AND CONDITIONS</u>: The Invitation to Bid, Legal Advertisement, General Conditions and Instructions to Bidders, Specifications, Special Conditions, Vendor's Bid, Addendum, and/or any other pertinent documents form a part of the bidders proposal or bid and by reference are made a part hereof.

- 2.17 SIGNED BID CONSIDERED OFFER: The signed bid shall be considered an offer on the part of the bidder, which offer shall be deemed accepted upon approval by the Chatham County Board of Commissioners, Purchasing Director or his designee. In case of a default on the part of the bidder after such acceptance, Chatham County may take such action as it deems appropriate, including legal action for damages or lack of required performance.
- **2.18 NOTICE TO PROCEED:** The successful bidder or proposer shall not commence work under this Invitation to Bid until a written contract is awarded and a Notice to Proceed is issued by the Purchasing Agent or his designee. If the successful bidder does commence any work or deliver items prior to receiving official notification, he does so at his own risk.
- **2.19 PAYMENT TO CONTRACTORS:** Instructions for invoicing the County for products delivered to the County are specified in the contract document.
 - a. Questions regarding payment may be directed to the Finance Department at (912) 652-7900 or the County's Project Manager as specified in the contract documents.
 - b. Contractors will be paid the agreed upon compensation upon satisfactory delivery of the products or completion of the work as more fully described in the contract document.
 - c. Upon completion of the work or delivery of the products, the Contractor will provide the County with an affidavit certifying all suppliers, persons or businesses employed by the Contractor for the work performed for the County have been paid in full.
 - d. Chatham County is a tax exempt entity. Every contractor, vendor, business or person under contract with Chatham County is required by Georgia law to pay State sales or use taxes for products purchased in Georgia or transported into Georgia and sold to Chatham County by contract. Please consult the State of Georgia, Department of Revenue, Sales and Use Tax Unit in Atlanta (404) 656-4065 for additional information.
- **2.20** The Chatham County Board of Commissioners has adopted an aggressive program that establishes goals for *minority/woman*, *small and disadvantaged business participation* in construction, professional services, and general procurement.

- a. The Chatham County Board of Commissioners under Georgia law may reject any bid as non-responsive if they feel a bidder did not exercise Good Faith Effort in obtaining the goal established for M/WBE participation.
- b. The Chatham County Board of Commissioners adopted a policy establishing goals oriented to increase participation of minority and female owned businesses, through M/WBE certification and development. In order to accurately document participation, businesses submitting bids, quotes or proposals are encouraged to report ownership status. A bidder or vendor that is certified by any agency of the Federal Government or State of Georgia may submit a copy of their certification with their bid as proof of qualifications. Bidders that intend to engage in joint ventures or utilize subcontractors must submit to the County Contracts Administrator, a report on Minority/Female Business Enterprise participation.

Goals established for this project is 12% MBE/5% WBE.

- c. A Minority/Female Business Enterprise (M/WBE) is a business concern that is at least 51% owned by one or more minority/female individuals and whose daily business operations are managed and directed by one (1) or more of the minority/female owners.
- 2.21 Bidders or proposers are required to make a Good Faith Effort, where subcontracting is to be utilized in performing the contract, to subcontract with or purchase supplies from qualified M/WBE's. Bidders or proposers are required to state if they intend to subcontract any part of the work. Goals will be established for each contract at the onset. Forms requiring the signatures of bidders or proposers are enclosed as Attachments and must be completed and returned with your bid response. If forms are not completed and submitted, the bid may be considered nonresponsive.

Each bidder or proposer is required to maintain records of such efforts in detail adequate to permit a determination of compliance with these requirements. All contracts will reflect **Good Faith Efforts** and reporting requirements for the term of the contract. The County particularly urges general contractors to give emphasis to subcontracting with local area firms.

For information on the program or M/WBE contractors/vendors please contact Connell Heyward, Chatham County Minority and Women Business Coordinator, 124 Bull Street, Suite 310, Savannah, Georgia 31401, (912) 652-7860 phone, (912) 652-7849 fax.

2.22 GEORGIA OPEN RECORDS ACT - The responses will become part of the County-s official files without any obligation on the County's part. Ownership of all data, materials and documentation prepared for and submitted to Chatham County in response to a solicitation, regardless of type, shall belong exclusively to Chatham County and will be

considered a record prepared and maintained or received in the course of operations of a public office or agency and subject to public inspection in accordance with the Georgia Open Records Act, Official Code of Georgia Annotated, Section 50-18-70, et. Seq., unless otherwise provided by law.

Responses to RFP's shall be held confidential from all parties other than the County until after the contract is awarded by the Board of Commissioners. The vendor and their bid price in response to the ITB will be read aloud at public bid openings. After Bid Tabulations, the ITB shall be available for public viewing. Chatham County shall not be held accountable if material from responses is obtained without the written consent of the vendor by parties other than the County, at any time during the solicitation evaluation process.

- **2.23 GEORGIA TRADE SECRET ACT of 1990** In the event a Bidder/Proposer submits trade secret information to the County, the information must be clearly labeled as a Trade Secret. The County will maintain the confidentiality of such trade secrets to the extent provided by law.
- **2.24** CONTRACTOR RECORDS The Georgia Open Records Act is applicable to the records of all contractors and subcontractors under contract with the County. This applies to those specific contracts currently in effect and those which have been completed or closed for up to three (3) years following completion. Again, this is contract specific to the County contracts only.
- **EXCEPTIONS**-All proceedings, records, contracts and other public records relating to procurement transactions shall be open to the inspection of any citizen, or any interested person, firm or corporation, in accordance with the Georgia Open Records Act except as provided below:
 - a. Cost estimates relating to a <u>proposed</u> procurement transaction prepared by or for a public body shall not be open to public inspection.
 - b. Any competitive sealed bidding bidder, upon request, shall be afforded the opportunity to inspect bid records within a reasonable time after the opening of all bids but prior to award, except in the event that the County decides not to accept any of the bids and to rebid the contract. Otherwise, bid records shall be open to public inspection only after award of the contract. Any competitive negotiation offer or, upon request, shall be afforded the opportunity to inspect proposal records within a reasonable time after the evaluation and negotiations of proposals are completed but prior to award except in the event that the County decides not to accept any of the proposals and to reopen the contract. Otherwise, proposal records shall be open to the public inspection only after award of the contract except

- as provided in paragraph "c" below. Any inspection of procurement transaction records under this section shall be subject to reasonable restrictions to ensure the security and integrity of the records.
- c. Trade secrets or proprietary information submitted by a bidder, offer or contractor in connection with a procurement transaction shall not be subject to public disclosure under the Georgia Open Records Act; however, the bidder, offer or contractor must invoke the protections of this section prior to or upon submission of the data or other materials, and must identify the data or other materials to be protected and state the reasons why protection is necessary.
- d. Nothing contained in this section shall be construed to require the County, when procuring by "competitive negotiation" (Request for Proposal), to furnish a statement of the reasons why a particular proposal was not deemed to be the most advantageous to the County.

SECTION III

ADDITIONAL CONDITIONS

3.1 AUDITS AND INSPECTIONS: At any time during normal business hours and as often as the County may deem necessary, the Contractor and his subcontractors shall make available to the County and/or representatives of the Chatham County Department of Internal Audit for examination all of its records with respect to all matters covered by this Contract. It shall also permit the County and/or representatives of the Department of Internal Audit to audit, inspect, examine and make copies, excerpts or transcripts from such records of personnel, conditions of employment and other data relating to all matters covered by this Contract. All documents to be audited shall be available for inspection at all reasonable times in the main offices of the County or at the offices of the Contractor as requested by the County.

3.2 <u>WARRANTY REQUIREMENTS:</u>

- a. Provisions of item 2.7 apply.
- b. Warranty required.
- X 1. Standard warranty shall be offered with bid.
 - 2. Extended warranty shall be offered with bid. The cost of the extended warranty will be listed separately on the bid sheet.

TERMS OF CONTRACT: (check where applicable):

	A.	Annual Contract (with renewal options for four (4) additional one (1) year terms if all parties agree)
X	В.	One-Time Purchase
	C.	Other ONE TIME CONTRACT

CONVERSATIONS OR CORRESPONDENCE REGARDING THIS SOLICITATION OR REPORT BETWEEN PROSPECTIVE OFFERORS AND PERSONS OUTSIDE THE CHATHAM COUNTY PURCHASING OFFICE WILL NOT BE CONSIDERED OFFICIAL OR BINDING UNLESS OTHERWISE SPECIFICALLY AUTHORIZED WITHIN THIS DOCUMENT.

The undersigned bidder or proposer certifies that he/she has carefully read the preceding list of instructions to bidders and all other data applicable hereto and made a part of this invitation; and, further certifies that the prices shown in his/her bid/proposal are in accordance with all documents contained in this Invitation for Bids/ Proposals package, and that any exception taken thereto may disqualify his/her bid/proposal.

This is to certify that I, the undersigned bidder, have read the instructions to bidder and agree to be bound by the provisions of the same.

This	day of	20
BY		
	SIGNATU	RE
	TITLE	
	COMPAN	Y
	Phone / Fax	No-s

SECTION IV

SPECIFICATIONS FOR

BID 17-0089-6

FOR ONE (1) NEW AND LATEST MODEL 35,000 GVWR SINGLE AXLE TRUCK CHASSIS WITH MOUNTED KNUCKLEBOOM TRASH LOADER

4.1 General Information:

The purpose of these specifications is to describe a heavy duty truck-mounted, hydraulically operated knuckle boom loader with dump body to be used in the collection and loading of bulk trash, limbs, leaves, brush, building materials, white goods and other materials of similar nature. The truck and loader shall conform to applicable Georgia and federal regulations binding this type of equipment. If meeting or exceeding specifications put <u>YES</u>, and if exceptions are taken put <u>NO</u>. Any exceptions must be detailed on exception sheet included with bid. Specifications associated with exceptions must also be submitted. <u>All BIDS</u> must include delivery, training of operators and service personnel. Upon delivery the truck shall be a complete unit properly serviced and ready for operation.

THE FOLLOWING ARE MINIMUM SPECIFICATIONS THAT WILL BE REQUIRED:

4.2 CAB

2 door standard cab; **Winter White exterior** with primer coat/base coat/clear coat finish; solar tinted glass; factory air conditioner including integral heater/defroster; intermittent windshield wipers with washers; gray interior color; heavy duty vinyl seating with single air bucket driver seat (30%), dual occupant front passenger seat (70%); dual sun visors; driver and passenger outside fold-back rearview mirrors including convex mirrors; AM/FM radio; dual electric horns and single trumpet air horn; steel front bumper with tow hooks. Front shade painted same as cab, High Visibility Seat Belts Exterior Cab mounted grab handles-Driver &Passenger side MUST be included. Black mud flaps. A/C cabin air filter bug screen behind grille

		YES	NO
4.3 WHEELBASE MINIMUM	1.60#		
Cab-to-Axle Dimension	168"	YES	NO

frar	gle channel heat treated alloy steel main from reinforcement for entire length of framain frame + reinforcement) minimum 6,000	e rated at minimum 1	
		YES	NO
4.5 FRON 14,0	T AXLE 000 lb. front axle with wheel seals for oil l	ubricated wheel bear	rings and power steering.
		YES	NO
	T SUSPENSION nimum 16,000 lbs. parabolic tapered leaf s	prings including sho	ck absorbers
		YES	NO
axle	000 lbs. single speed rear axle with wheel e ratio shall provide maximum grade ability cking differential to be included 5.63 Axl	ty in 1st gear and a hi	_
		YES	NO
Mir	SUSPENSION nimum 31,000 lbs. multi leaf rear suspensi l rear stabilizer bar.	on and minimum 4,5	00 lbs. auxiliary springs,
		YES	NO
dua adjı	ES l air brake system with anti-lock feature; r l air pressure gauges; low air pressure war usters; air activated spring-loaded parking ks; air dryer with automatic air moisture ej	rning light/alarm; from brake; three (3) drain	nt/rear automatic slack n valves and two (2) air
4 10 ENC	INTE	YES	NO
eler type sha	esel engine with minimum 300 HP and 860 ment air cleaner; air restriction indicator; for heater and sight glass. Engine must meet all be at 20 minutes. Must have reversing evere Duty filters	uel filter and water se EPA emissions stan	eparator with electric dard. Idle shut down time

YES _____

NO _____

4.4 FRAME

Horizontal ex	haust system toward the re	ear of truck chassis.	
		YES	NO
transmission o	on 3500RDS-P automatic	transmission with overdrive audible back up alarm activa activation switch.	
444 77 7 6 6 7 7 6 4 7		YES	NO
ground circuit lamps, and tw Remote jump lever. Daytim	p alternator; 2000 CCA m ts, with LED combined le yo additional pass through start post next to battery l	tinimum dual battery system ft/stop, combined right/stop wires to cab; body builder v box and battery master cut of Alarm, and Amber/white Ll trobe Lights	, stop lamps, back up wiring to end of frame. ff switch with lock out
		YES	NO
22.5" x 8.25"	painted steel disc 10-hole. Hwy tread front tires and	hub-piloted wheels with 11	R22.5 16-ply radial
445 54154 (543)47		YES	NO
4.15 FUEL TANK Minimum 70	gallon fuel tank.		
		YES	NO
level, tachome	uges for water temperature eter, speedometer, and aud	e, engine oil pressure, amp n dio/visual warning system. I ur (4) extra switches to conti	Pre-trip light inspection
4 17MISCELL AND	ZOLIS	YES	NO
disassembly/a	f operator's manual, and o assembly and troubleshoot	ne (1) set of service manualing information of the cab,	
differential ar	iu engine.	YES	NO

2

4.11 EXHAUST

5.1 TRUCK MOUNTED KNUCKLE BOOM LOADER

A style outriggers, stand up operator's platform with hydraulic operated joysticks. The unit will be used in collection and loading of bulk trash, limbs, leaves, building materials, and white goods, or other materials of that nature. Unit must be manufactured in an iso 9001:2008 certified facility. All bidders must fill in all information. If meeting or exceeding specifications put **YES** and if exceptions are taken put **NO**. Any exceptions must be explained in writing on exception sheet included in bid. All proposals include delivery, training of operators and service personnel. Chassis minimum requirement: 16,000 lbs front axle; 30,000 lbs rear axle; and 204" CA.

SPECIFICATIONS	YES	NO
5.1.1 BOOM:		
Total 22 ft. Main and tip boom length.		
Minimum lift capacity to be 3,000 lbs. @ 22ft		
including grapple.		
Boom pedestal to be constructed of high		
strength steel with a moment capacity yielding		
a 3:1 safety factor mounted between rear		
axle and cab for maximum stability.		
boom pivot shall be mounted to the pedestal by means of	f a	
slewing ring/bearing that has a minimum capacity of 513		
lbs static load and 186,000 ft. lbs moment. The boom p		
-pedestal assembly shall not exceed 100 inches in height	from	
truck frame (truck frame approximately 40 inches high)		
pivot shall be constructed with a safety device consisting	g of a	
tube that extends down into the pedestal of such size and	-	
to prohibit the pivot/boom from falling off in the event of	~	
failing which attaches the pivot to the pedestal.		
A "boom-up" sensor and alarm to indicate when		
the boom is in safe transport position.		
Boom shall have 270 degrees continuous		
rotation. A positive locking pin shall be provided		
to alleviate rotation while transporting.		

Boom rotation shall be accomplished by a direct hydraulic swing drive through a slewing (bearing) ring capable of producing 342,000 inch-pounds minimum of torque. The motor shall be equipped with both counterbalance and pressure relief valves.	YES	NO
Entire boom assembly shall be designed with a tensile strength to provide a safety factor of 3 to 1 at the rated load capacity.		
Main boom and tip boom shall be constructed from high strength materials to be light weight yet strong utilization of both 6mm thick 100k psi and ½" 80k psi minimum yield materials in combination to provide the necessary strength while maximizing the overall boom weight.		
All mounting locations for pins are made from 1026 cold drawn seamless mechanical tubing with wear resistant spring steel bushings inserted at boom ends.		
Tip boom to main boom connecting pin shall be 2" diameter with 1026 cold drawn seamless mechanical tubing at mounting location.		
Hydraulic hoses are routed through the main and tip boom for protection from damage or unnecessary wear/abuse.		
Main boom and tip boom shall be equipped with mechanical stops to prohibit hydraulic cylinders from bottoming out.		
Boom pedestal to be mounted directly to the chassis frame rails with 8 each 120,000 min. tensile strength tie down bolts with grade 8 nuts. mounting must include inside frame rails supports at the mounting points.		

	YES	NO
The entire boom must be serviceable down to the component level, e.g., every hydraulic hose, fluid tubes, bracket, pin etc. Having to replace subassemblies in order to repair a component will not be acceptable.		
Manufacturer must provide parts manual that identifies all replaceable parts.		
All boom connections requiring pins shall		
equipped with replaceable bushings and heat-		
treated steel pins with provisions for lubrication. pins shall be minimum 150,000 psi tensile strength.		
5.1.2 OPERATOR'S STATION		
All operating functions shall be controlled from standing on a platform located back of cab.		
a left and a right independent joystick control		
station of comfortable height for the operator.		
station of comfortable neight for the operation		
Slip resistance steps shall be provided to		
mount the control platform. A heavy rubber		
cushion mat shall be installed on the entire		
platform. It shall be slip resistant and a minimum		
¾" thick.		
Operator controls shall be hydraulic pilot		
operated "joy-stick" type, for main, tip boom, and		
swing. grapple rotate, grapple open and close		
shall be electric switches on joystick all		
controls shall be clearly identified as to function		
with decals. Dump body control shall be by		
electric switch located on front of control panel.		
Outrigger controls must be separated from the		
loader controls. Left and right outriggers shall		
be controlled independently with switches located		
on front of control panel.		

		YES	NO
	Swing controls shall be joystick operated with safety circuit to prevent inadvertent activation. provided by a switch to disable the side of control not being used.		
	Electronic engine speed control is to be provided for idle speed and design speed of engine when operating the loader. Provide over speed function to disable PTO when engine increases speed above designed speed. Cable or air actuated will not be acceptable.		
5.1.3	STRASH GRAPPLE\BUCKET:		
	Grapple shall rotate 360 degrees continuous.		
	Grapple is to be opened and closed by (2) 3½ inch bore hydraulic cylinders with bolt on head gland producing a closing force\"bite" of 4,000 lbs. grapple cylinders shall be protected by a shield.		
	Grapple is to be 4ft. long and capable of opening to 60 inches from lip to lip.		
	There shall be provided an adjustable break for dampening swing of grapple.		
	Grapple shall be fabricated with a bolt on replaceable and H.S.H.C. steel cutting edge.		
5.1.	4 HYDRAULICS:		
	Reservoir shall be a minimum of 50 gallons. It shall have a dual level / oil temperature gauge on side of tank. an in-tank suction strainer is to be installed.		
	Filter shall be 10-micron absolute, return line replaceable mounted on outside of reservoir with cut-off valves in suction and return lines.		

	YES	NO
Main boom and tip boom hydraulic cylinders		
shall contain pilot operated check valves as an		
integral part of each cylinder. Bolt on pilot		
operated check valves will not be permissible.		
tip boom cylinder provides hydraulic cushioning		
deceleration when fully stroking in either direction		
to reduce the mechanical impact on the boom structure.		
All hoses shall be rated at 4,000 psi working		
pressure and have "o"-ring connectors.		
Hydraulic lines are concealed within the booms		
for protection.		
Main control valve shall be 8 section,		
directional control valve for hydraulic piloted		
joystick with 3,000 psi and an adjustable relief		
valve. Four joysticks – 2 on each side of this		
control panel for controlling pilot operated		
control valves. Out rigger valve shall be		
controlled with water proof electrical switch.		
All hydraulic cylinders to be of the "bolt-on		
head gland" design.		
Successful bidder must provide a computer		
printout at time of delivery showing particle		
testing of the hydraulic oil prior to the unit being		
shipped in order to document the cleanliness of the		
hydraulic system		
All hydraulic connectors on hoses, valves,		
and pumps shall be "o"-ring type.		
5.1.5 POWER SOURCE:		
A heavy – duty clutch style (hot shift) PTO		
and a heavy duty tandem bi-rotational hydraulic	_	
pump which allows for "multiple function control"		

of the crane functions.

	YES	NO
Pump shall be a tandem pump.		
5.1.6 THROTTLE CONTROL		
Unit to have an electric operated throttle control to maintain proper engine speed when loader is operated under load. Switch for throttle control to be mounted on operator's		
platform for operator's convenience.		
Throttle speed-up shall operate only when the transmission is in the neutral position.		
5.1.7 OUTRIGGERS:		
Outrigger shall be extendable to a distance that will resist the tipping moment under maximum rated load, and hydraulic cylinders shall have pilot operated holding valves.		
The outriggers are to be equipped with smooth pads to cause minimum damage to contact surface. led strobes mounted on side 360 view with cage to come on with PTO.		
Outriggers shall be "a" frame style. The retracted dimensions shall be approximately 7 ft. 11 inches and the extended dimension (at ground level) shall be approximately 9 ft. 8 inches.		
Outrigger cylinders for stabilizing loader shall be mounted inside telescoping legs. Outrigger cylinders shall have pilot operated check to prevent possible leak down.		
Outriggers shall be mounted by bolt-on connection to facilitate outrigger service. Outriggers led strobes with housing included		

	A PARTIE	YES	NO
5.1.8	3 PAINT		
	Loader shall receive (1) coat of high- grade		
	primer and (2) coats of high-grade enamel paint		
	(omaha orange)		
5.1.	9 WARRANTY		
	Bidder must provide all warranties required		
	below. Failure to provide such warranties may		
	result in your bid being deemed non-responsive.		
	Entire unit to have a one (1) year parts and		
	labor warranty and a three (3) year structural		
	warranty.		
5.2	SPECIFICATIONS: RODY IS 20 FEET LONG 6' W	ALLS 30 CURIC	VARDS
5.2	SPECIFICATIONS: BODY IS 20 FEET LONG, 6' W. SINGLE DOOR W/GRAPPLE REST	ALLS, 30 CUBIC	YARDS
5.2	SPECIFICATIONS: BODY IS 20 FEET LONG, 6' W SINGLE DOOR W/GRAPPLE REST	ALLS, 30 CUBIC	YARDS
		ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST	ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY	ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity.	ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length.	ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length. Body floor shall be made of single sheet of	ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length. Body floor shall be made of single sheet of Hardox hx450 steel welded to the sides and	ALLS, 30 CUBIC	
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length. Body floor shall be made of single sheet of Hardox hx450 steel welded to the sides and headboard.	ALLS, 30 CUBIC	
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length. Body floor shall be made of single sheet of Hardox hx450 steel welded to the sides and headboard. Body walls to be constructed with 1/8" hx450.	ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length. Body floor shall be made of single sheet of Hardox hx450 steel welded to the sides and headboard. Body walls to be constructed with 1/8" hx450. front to be 46.5" high by 120, angling to 76" remainder	——————————————————————————————————————	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length. Body floor shall be made of single sheet of Hardox hx450 steel welded to the sides and headboard. Body walls to be constructed with 1/8" hx450. front to be 46.5" high by 120, angling to 76" remainder of body and rear door.	ALLS, 30 CUBIC	YARDS
	SINGLE DOOR W/GRAPPLE REST 1 TRASH BODY 30 cubic yard capacity. 20 ft. Body length. Body floor shall be made of single sheet of Hardox hx450 steel welded to the sides and headboard. Body walls to be constructed with 1/8" hx450. front to be 46.5" high by 120, angling to 76" remainder of body and rear door. Body walls shall have a top rail made of 3 1/4"		

Body shall have a one piece door 5 foot with 3	YES	NO
Heavy duty hinges with 1 inch diameter pin and allow		
for lubrication		
The rear door shall serve as the grapple rest and have		
a slot to allow grapple to rest within legal height. The		
door shall have a $3/16$ "skin with 4inch x 2 inch x $\frac{1}{4}$		
inch rectangular tubing reinforcement with spreader		
apron to support weight of grapple.		
Door latch shall be cam operated from the driver 's		
side and provide a safety lock. A provision shall be		
made to allow the door to be opened and rotate		
against passenger side body wall with latch to hold		
open while dumping body.		
Tool box- sprayed inside with bed liner		
Material mounted under body left side.		
5.2.2 BODY HOIST SPECIFICATIONS		
For single axle chassis the hoist system shall		
be two5" bore, two stage telescopic hydraulic		
cylinders rated @ 2,500 psi working pressure		
mounted to provide a 45 degree dump angle. Left		
and right hoist cylinders must be mounted		
outboard of the chassis frame.		
For a tandem axle the hoist system shall be scissor		
For a tandem axle the hoist system shall be scissor lift rated @ 3,000 psi working pressure mounted to		
•		
lift rated @ 3,000 psi working pressure mounted to		
lift rated @ 3,000 psi working pressure mounted to provide a 45 degree dump angle.		
lift rated @ 3,000 psi working pressure mounted to provide a 45 degree dump angle. 5.2.3 LIGHTS AND REFLECTORS		

		YES	NO
	LED Lights shall be provided. One marker and strobe light on left and right top of Rear body posts. A 2 ½ inch marker and 2 inch x 6 Inch strobe. Also, provide one light on left and Right rear under body for back up and brake /turn in metal box. There shall be 3 marker lights Mounted on rear of body centered. All lighting to be dot standards and shall conform to current State and federal standards. In addition, led strobe Light on lower left and right rear posts. A center Mounted led single strobe under body that will be protected during dumping material.		
	Single rear color camera installed that will automatically come on when in reverse.		
	Rear led directional arrows on rear door.		
	Reflective safety tape shall be on both sides and on rear of body. Reflective safety tape shall be located on the center of rear door and to be on full width on the rear door- minimum 12" tall.		
5.2.4	PAINT		
	Body exterior shall receive (1) coat of high-grade primer and (2) coats of high-grade black enamel paint.		
	Body interior shall receive (1) coat of high-grade primer & 2 coats of high-grade black enamel paint.		
	Truck chassis shall be undercoated.		
5.2.5	SAFETY REAR BUMPER: Body shall have a rear safety bumper.		
	Bumper to meet US. Department of transportation federal motor carrier safety administration, part 571.233 for rear impact guards and part 571.224 for rear impact protection. Paint in safety yellow.		

		YES	NO
5.2.6	SAFETY PROPS		
	Two (2) body safety props shall be installed one on each side of the body frame rails.		
5.2.7	WARRANTY		
	Bidder must provide all warranties required below. Failure to provide such warranties may result in your bid being deemed non-responsive.		
	Entire unit to have a three year parts and labor warranty and a 3 year structural warranty.		

5.2.8 DELIVERY

Delivery cost to 65 Billy B. Hair Drive, Savannah, GA 31408 – At least one day advance notice will need to be made prior to delivery. All items shall be delivered F.O.B. destination and delivery costs and charges included in the bid unless otherwise stated in the specifications or proposal. (DO NOT anticipate drop shipping)

NO Dealer advertising is to be on truck or heavy equipment vehicle.

Chatham County Fleet Operations will be responsible for applying for all Georgia tags and titles. NOTE: Assign title to Commissioners of Chatham County, 124 Bull Street, Savannah, GA 31401

Invoices, MV-1 and MSO's shall be sent to Chatham County Fleet Operations, Attn: Lori Love, P.O. Box 8161, Savannah GA 31412

Four (4) sets of keys will be provided.

Heavy equipment vehicle will be delivered with not less than a half a tank of fuel.

Heavy Equipment vehicle shall be delivered with complete certification or origin, warranty, owner's manual and any other necessary credentials.

Bidder shall provide on-site training of the loader provided. Bidder shall also provide on-site training on the chassis by the chassis dealer.

EXCEPTION SHEET

If the commodity (ies) and/or service proposed in your Bid is different from that contained in this proposal, the Bidder is responsible to clearly identify all such differences in the space below. Otherwise, it will be assumed the Bidders' offer is in the total compliance with all aspects of the proposal.

as

aspects of the proposal.		,
Below are the only differences betweeneeded.	veen my offer and the proposal.	Add additional pages
DATE	SIGNATURE	
	COMPANY	

TITLE

BID SHEET <u>BID NO.17-0089-6</u>

PURCHASE OF NEW KNUCKLE BOOM LOADER W/ DUMP BODY

ITEM NO	DESCRIPTION	MANUFACTURER'S NAME & MODEL NO.	QTY	UNIT PRICE	TOTAL PRICE
1	SINGLE AXLE TRUCK CHASSIS WITH MOUNTED KNUCKLE BOOM TRASH LOADER		1 EA		

TIME REQUIRED FOR DELIVERY AFTER RECEIPT OF ORDER	/DAYS
Option 1:	
Rear color camera system with 7" monitor. Camera must activate when the	
Transmission is in the neutral position. A spare camera must be provided with	
he delivered unit.	\$
Option 2:	
Hand crank / spring loaded tarp system that will not interfere with stowing the bucket.	
A spare tarp will be provided with the delivered unit. Also provide the up-charge cost for	
an electric tarping system.	\$
Up-Charge for Electric Tarping System:	\$
Vendor Name:	
Address:	
City, State, Zip:	
Phone number: Fax:	
Printed Name/Title:	

ATTACHMENT A

DRUG - FREE WORKPLACE CERTIFICATION

THE UNDERSIGNED CERTIFIES THAT THE PROVISIONS OF CODE SECTIONS 50-24-1 THROUGH 50-24-6 OF THE OFFICIAL CODE TO GEORGIA ANNOTATED, RELATED TO THE **DRUG-FREE WORKPLACE**, HAVE BEEN COMPLIED WITH IN FULL. THE UNDERSIGNED FURTHER CERTIFIES THAT:

1.	A Drug-Free Workplace will be provide performance of the contract; and	led for the employees	during the
2.	Each sub-contractor under the direction following written certification:	n of the Contractor sha	all secure the
PUR pursu unde distri	(CONTRACTOR) certifies to Chathar rovided for the employees during the perfection of the employees during the perfection of the contract of the paragraph (7) of subsection (B) of resigned further certifies that he/she will not button, possession, or use of a controlled formance of the contract.	commance of this contract LOADER W/DUMP Code Section 50-24-3 ot engage in the unlaw	ct known as BODY (PROJECT) Also, the ful manufacture, sale
CONTRAC	TOR	DATE	
NOTARY		DATE	

ATTACHMENT B

PROMISE OF NON-DISCRIMINATION STATEMENT

Kno	ow All Men By These Presence, that I (We),	
	Name	
Title	e	Name of
Cha	Bidder rein after Company) in consideration of the privilege to bid/or propose on the atham County project PURCHASE OF NEW KNUCKLE BOOM LOADI MP BODY hereby consent, covenant and agree as follows:	
	No person shall be excluded from participation in, denied the benefit of or criminated against on the basis of race, color, national origin or gender in consubmitted to Chatham County or the performance of the contract resulting the	nection with the
busi	That it is and shall be the policy of this Company to provide equal opportuniness persons seeking to contract or otherwise interested with the Company, appanies owned and controlled by racial minorities, and women;	
own	In connection herewith, I (We) acknowledge and warrant that this Companier of, understands and agrees to take affirmative action to provide minority and companies with the maximum practicable opportunities to do business whis contract;	and women
	That the promises of non-discrimination as made and set forth herein shall bughout the duration of this contract with Chatham County;	be continuing
here	That the promises of non-discrimination as made and set forth herein shall eby deemed to be made a part of and incorporated by reference in the contraction may be awarded;	
the (That the failure of this Company to satisfactorily discharge any of the promorimination as made and set forth above may constitute a material breach of county to declare the contract in default and to exercise appropriate remedie limited to termination of the contract.	contract entitling
	Signature Date	

ATTACHMENT C

DISCLOSURE OF RESPONSIBILITY STATEMENT

Failure to complete and return this information will result in your bid/offer/proposal being disqualified from further competition as non-responsive.

O	ist any convictions of any person, subsidiary, or affiliate of the company, arising out of btaining, or attempting to obtain a public or private contract or subcontract, or in the erformance of such contract or subcontract.
fo ir	ist any indictments or convictions of any person, subsidiary, or affiliate of this company or offenses such as embezzlement, theft, fraudulent schemes, etc. or any other offenses adicating a lack of business integrity or business honesty which affects the responsibility of the contractor.
L	ist any convictions or civil judgments under states or federal antitrust statutes.
p	ist any violations of contract provisions such as knowingly (without good cause) to erform, or unsatisfactory performance, in accordance with the specifications of a ontract.
L	ist any prior suspensions or debarments by any governmental agency.
L	ist any contracts not completed on time.
L	ist any penalties imposed for time delays and/or quality of materials and workmanship.
	List any documented violations of federal or any state labor laws, regulations, or standards, occupational safety and health rules.
_	C-1

I,	, as				
Name of individual	, as Title & Authority				
of	, declare under oath that				
Company Name					
the above statements, including a	ny supplemental responses attached hereto, are true.				
Signature					
State of					
County of					
Subscribed and sworn to before n	ne on this day of				
20 by	representing him/herself to be				
of the co	ompany named herein.				
Notary Public					
My Commission expires:					
Resident State:					

DPC Form #45

ATTACHMENT D CONTRACTOR AFFIDAVIT under O.C.G.A. § 13-10-91(b)(1)

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services on behalf of CHATHAM COUNTY has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A. § 13-10-91(b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number
Date of Authorization
Name of Contractor
Name of Project
Name of Public Employer
I hereby declare under penalty of perjury that the foregoing is true and correct.
Executed on,, 201 in(city),(state).
Signature of Authorized Officer or Agent
Printed Name and Title of Authorized Officer or Agent
SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE DAY OF,201
NOTARY PUBLIC
My Commission Expires:

SUBCONTRACTOR AFFIDAVIT under O.C.G.A. § 13-10-91(b)(3)

By executing this affidavit, the undersigned subcontractor verifies its compliance with O.C.G.A. 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services under a contract with (name of
contractor) on behalf of CHATHAM COUNTY has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned subcontractor will continue to use the federal work authorization program throughout the contract period and the undersigned subcontractor will contract for the physical performance of services in satisfaction of such contract only with sub-subcontractors who present an affidavit to the subcontractor with the information required by O.C.G.A. § 13-10-91 (b). Additionally, the undersigned subcontractor will forward notice of the receipt of an affidavit from a sub-subcontractor to the contractor within five (5) business days of receipt. If the undersigned subcontractor receives notice of receipt of an affidavit from any sub-subcontractor that has contracted with a sub-subcontractor to forward, within five (5) business days of receipt, a copy of such notice to the contractor. Subcontractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:
Federal Work Authorization User Identification Number
Date of Authorization
Name of Subcontractor
Name of Project
Name of Public Employer
I hereby declare under penalty of perjury that the foregoing is true and correct.
Executed on,, 201 in(city),(state).
Signature of Authorized Officer or Agent
Printed Name and Title of Authorized Officer or Agent
SUBSCRIBED AND SWORN BEFORE ME ON THIS THE DAY OF,201
NOTARY PUBLIC My Commission Expires:

ATTACHMENT E

BIDDERS CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

The undersigned certifies, by submission of this proposal or acceptance of this contract, that neither Contractor nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntary excluded from participation in this transaction by any Federal department or agency, State of Georgia, City of Savannah, Board of Education of local municipality. Bidder agrees that by submitting this proposal that Bidder will include this clause without modification in all lower tier transactions, solicitations, proposals, contracts, and subcontracts. Where the Bidder or any lower tier participant is unable to certify to this statement, that participant shall attach an explanation to this document.

Certification - the above information is true and complete to the best of my knowledge and belief.
(Printed or typed Name of Signatory)
(Signature)
(Date)
NOTE: The penalty for making false statements in offers is prescribed in 18 U.S.C. 1001 END OF DOCUMENT Mod. CC P & C 6/2005

ATTACHMENT F

Chatham County Minority and Women Business Enterprise Program M/WBE Participation Report

Name of Bidder:					
Name of Project:			Bid No:		
M/WBE Firm	Type of Work	Contact Person/ Phone #	City, State	%	MBE or WBE
				_	
MBE Total	WBE Total_	%	M/WBE Combin	ned	%
The undersigned should e for work listed in this sch Board of Commissioners.	edule conditioned upon				
Signature		_Print			
Phone <u>(</u>) Fax()					

ATTACHMENT G

Systematic Alien Verification for Entitlements (SAVE) Affidavit Verifying Status for Chatham County Benefit Application

By executing this affidavit under oath, as an applicant for a Chatham County, Georgia Business License or Occupation Tax Certificate, Alcohol License, Taxi Permit, Contract or other public benefit as reference in O.C.G.A. Section 50-36-1, I am stating the following with respect to my bid for a Chatham County contract for . [Name of natural person applying on behalf of individual, business, corporation, partnership, or other private entity I am a citizen of the United States. 1.) OR 2.) _____I am a legal permanent resident 18 years of age or older. OR I am an otherwise qualified alien (8 ' USC 1641) or nonimmigrant under the Federal Immigration and Nationality Act (8 USC 1101 et seq.) 18 years of age or older and lawfully present in the United States.* In making the above representation under oath, I understand that any person who knowingly and willfully makes a false, fictitious, or fraudulent statement or representation in an affidavit shall be guilty of a violation of Code Section 16-10-20 of the Official Code of Georgia. Signature of Applicant: Date Printed Name:

SUBSCRIBED AND SWORN

My Commission Expires:

Notary Public

BEFORE ME ON THIS THE DAY OF ______, 20____ Alien Registration number for non-citizens.

REFERENCES

COMPANY NAME:			
ADDRESS:			
CITY:	STATE:	ZIP:	
CONTACT PERSON:			
PHONE NUMBER:			
COMPANY NAME:			
ADDRESS:			
CITY:			
CONTACT PERSON:			
PHONE NUMBER:			
COMPANY NAME:			
ADDRESS:			
CITY:			
CONTACT PERSON:			
PHONE NUMBER:			
COMPANY NAME:			
ADDRESS:			
CITY:	STATE:	ZIP:	
CONTACT PERSON:			
PHONE NUMBER:			
COMPANY NAME:			_
ADDRESS:			
CITY:	STATE:	ZIP:	
CONTACT PERSON:			
PHONE NUMBER:			

LEGAL NOTICE CC NO. 166926

Invitation to Bid

Sealed Bids will be received until 2:00 P.M. on OCT. 24, 2017 and publicly opened in Chatham County Purchasing & Contracting Department, at The Chatham County Citizens Service Center, 1117

Eisenhower Drive, Suite C, Savannah, Georgia 31406, for: BID NO: 17-0089-6- PURCHASE OF NEW KNUCKLE BOOM LOADER W/DUMP BODY

A PRE-BID CONFERENCE has been scheduled to be conducted at the Purchasing and Contracting conference room, 1117 Eisenhower Drive, Suite C Savannah Georgia, 10:00 AM, October 10, 2017 to discuss the specifications and/or scope of services and resolve any questions and/or misunderstanding that may arise. A walk through of the courthouse will follow. You are encouraged to attend.

Bid Package can be downloaded and printed from the County Purchasing and Contracting website http://purchasing.chathamcounty.org.

All firms requesting to do business with Chatham County must also register on-line at http://purchasing.chathamcounty.org. For additional information concerning specifications, please contact Alton T Peterson, Jr. at (912) 790-1621

CHATHAM COUNTY HAS THE AUTHORITY TO REJECT ALL BIDS AND WAIVE MINOR FORMALITIES. "CHATHAM COUNTY IS AN EQUAL OPPORTUNITY EMPLOYER, M/F/H, ALL BIDDERS ARE TO BE EQUAL OPPORTUNITY EMPLOYERS"

MARGARET H. JOYNER, PURCHASING DIRECTOR

SAVANNAH NEWS/PRESS INSERT: Oct. 3, 2017